



报告编号(Report ID): MTISCLVG8016737U1



2026 年 1 月 1 日生效

运输危险性鉴定书

Hazard Classification and Identification Report for Transport of Goods

危险品 Dangerous Goods

样品名称及型号
(Sample Name & Model)

锂离子电池扣式电池 型号: CR2016
Lithium manganese dioxide buckle type battery Model: CR2016
3.0V 80mAh 合计锂含量/Aggregate lithium content: 0.025g

委托单位
(Applicant)

东莞市超冠锂能源科技有限公司
Dongguan Chaoguan Lithium Energy Technology Co.,Ltd

生产单位
(Manufacturer)

东莞市超冠锂能源科技有限公司
Dongguan Chaoguan Lithium Energy Technology Co.,Ltd

PONY 谱尼测试
Pony Testing International Group
www.ponytest.com



No.: MTISCLVG8016737U1
Code: 8YxWO288

声明 Statement

1. 本报告无检验检测专用章、报告骑缝章和批准人签章无效。
This report is invalid without special seal for inspection and test, cross-page seal and signature of the approver.
2. 本报告页面所使用“PONY”、“谱尼”字样为谱尼测试集团的注册商标,其受《中华人民共和国商标法》保护,任何未经本单位授权的擅自使用和仿冒、伪造、变造“PONY”、“谱尼”商标均为违法侵权行为,本单位将依法追究其法律责任。
The words "PONY" and "谱尼" used in this report page are the registered trademarks of Pony Testing International Group, which are protected by the Trademark Law of the People's Republic of China. Any unauthorized use, counterfeiting, forging or altering of the trademarks of "PONY" and "谱尼" without the authorization of the company is an illegal infringement, and the company will investigate their legal liabilities according to law.
3. 委托单位对报告数据如有异议,请于报告完成之日起十五日内向本单位书面提出复测申请,同时附上报告原件并预付复测费。
If the applicant has any objection to the report data, please submit a written application for retesting to PONY within 15 days after the completion of the report, with the original report attached and the retesting fee prepaid.
4. 不可重复性或不能进行复测的实验,不进行复测,委托单位放弃异议权利。
If the experiment cannot be repeated or cannot be retested, no retest shall be conducted, and the applicant shall waive the right of objection.
5. 委托单位必须保证送至本公司的样品及资料与真实的运出货物相一致,如有不符,所涉及的法律及其他后果均由委托单位自行承担。
The client must guarantee that samples and documents provided for appraisal are consistent with the goods to be transported. Otherwise, the client shall bear all legal responsibilities and other consequences due to it.
6. 本报告仅对所测样品的检测结果负责,检测结果及其相关判定结论仅反映对所测样品的评价或只代表检测时污染物的排放状况。对于报告及所载内容不能进行商业广告宣传使用,使用所产生的直接或间接损失及一切法律后果,本单位不承担任何经济和法律后果。
This report is only responsible for the test results of the tested samples, The test results and relevant conclusions reflect the evaluation of the tested samples or only represent the emission status of pollutants during the test. The report and the contents contained in it cannot be used for commercial advertising, and PONY does not assume any economic and legal liabilities for direct or indirect losses and all legal consequences arising from the use.
7. 本单位有权在完成报告后按规定方式处理所测样品,除客户特别声明并支付样品管理费,所有超过标准规定时效期的样品均不再做留样。
PONY has the right to dispose the tested sample after approval of the test report. Unless the applicant specifically declares and pays the sample management fee, all samples beyond the validity period specified in the standard will not be retained.
8. 本单位保证工作的客观公正性,对委托单位的商业信息、技术文件等商业秘密履行保密义务。
PONY assures objectivity and impartiality of the test, and fulfills the obligation of confidentiality for applicant's commercial information, and technique document.
9. 本报告私自转让、盗用、冒用、涂改、未经本单位批准的复制(全文复制除外)或以其它任何形式的篡改均属无效,本单位将对上述行为追究其相应的法律责任。
Any unauthorized transfer, appropriation, falsification, alteration, copying (except full text copying) or alteration in any other form of this report without the approval of PONY shall be invalid. PONY shall strictly investigate the corresponding legal liability for the aforesaid behavior.
10. 本报告不考虑国家及经营人差异。
The certificate/report takes no account of the differences of countries and applicants.

▲ 防伪说明(Anti-counterfeiting Instructions):

1. 报告编号是唯一的。
The report number is unique.
 2. 扫描报告首页下方二维码,即可查询报告真伪。
Scan the QR code below the first page to check the authenticity of the report.
 3. 报告采用特制防伪纸张印制,纸张表面带有“PONY”防伪纹路,该防伪纹路不支持复印,即复制件不会带有“PONY”防伪纹路。
The report is printed on specially made anti-counterfeit paper with the "PONY" anti-counterfeit pattern on the surface of the paper. This anti-counterfeit pattern does not support copying, meaning that the copied product will not have the "PONY" anti-counterfeit pattern.
 4. 报告采用的防伪纸张内部亦加带有高科技“PONY”防伪水印,只有在验钞机等紫外线照射下方可显出无色荧光防伪字样。
The anti-counterfeit paper used in the report also has a high-tech "PONY" anti-counterfeit watermark added inside, and the colorless fluorescent anti-counterfeit words can only be displayed under UV irradiation such as in the cash detector.
- *****

运输危险性鉴定书

Hazard Classification and Identification Report for Transport of Goods

样品名称及型号 Sample Name & Model	锂离子电池扣式电池 型号: CR2016 3.0V 80mAh 合计锂含量: 0.025g	
	Lithium manganese dioxide buckle type battery Model: CR2016 3.0V 80mAh Aggregate lithium content: 0.025g	
委托单位 Applicant	东莞市超冠锂能源科技有限公司	
	Dongguan Chaoguan Lithium Energy Technology Co.,Ltd	
生产单位 Manufacturer	东莞市超冠锂能源科技有限公司	
	Dongguan Chaoguan Lithium Energy Technology Co.,Ltd	
件数 Pieces		托运人或托运人代理人声明 本人(本单位)声明,上述运输信息填写真实、准确,鉴定书已获得委托单位的授权使用,实际运输的货物情况与本鉴定书一致。如因信息填写错误、实际运输的货物情况与本鉴定书不一致造成的一切后果,由本人(本单位)承担全部责任,并赔偿对承运人造成的全部损失。 托运人或托运人代理人签字: _____ 盖章: _____
运单号 Air waybill No.		
目的港 Destination		
检验方法、程序 Inspection method and procedure	国际航空运输协会《危险品规则》(67版); IATA Dangerous Goods Regulations (DGR) 67 th Edition	
电池信息 Battery information	电池种类/Battery type	锂金属电池芯 Lithium metal cell
	型号规格/Model	CR2016 3.0V 80mAh
	合计锂含量/ Aggregate lithium content	0.025g
	外观/Appearance	银色/Silver 19.9mm×1.5mm
包装件信息 Package information	尺寸/Size	317mm(L)×257mm(W)×290mm(H)
	电池净重/Battery net weight	0.85kg
	电池个数/Battery number	500pcs
	放置方式/ Placement	只有电池/Battery only
鉴定结果 Identification conclusion	1. 危险性识别 (Hazard identification) 杂项。Miscellaneous. 2. 按照国际航空运输协会《危险品规则》办理类项 (Suggestion according to IATA DGR) Shipping name: Lithium metal batteries Class or division: 9 UN Number: UN3090 该物品满足包装说明 968 第 IB 部分。 The goods are in compliance with the packaging instruction 968 section IB. 3. 包装要求 (Packaging requirements) 根据包装说明 968 第 IB 部分办理。仅限货机。 The goods are packaged according to the packaging instruction 968 section IB. Cargo Aircraft Only.	
检验日期 Inspection date	2025-12-23 ~ 2025-12-26	签发日期 Issue Date 2025-12-26
备注 Comment	本报告有效期至 2026 年 12 月 31 日 The report is valid until December 31, 2026.	

主检人 : 刘旭
(Appraiser)

审核人 : 杨晶晶
(Checker)

批准人 : 郑春松
(Approver)

运输危险性鉴定书
Hazard Classification and Identification Report for Transport of Goods

序号 No.	检验结果及其他事项 Inspection results and other things
1	客户声明 Consignor announcement: a. 本报告所述锂电池不属于因安全原因被制造商召回的锂电池,或运输前不能预先判断为损坏或有缺陷的锂电池。 Lithium cells and batteries listed in this report are not the defective cells or batteries returned to the manufacture for safety reasons or cannot be diagnosed as damaged or defective prior to transport. b. 本报告所述锂电池不进行以回收或处置为目的的航空运输,不属于废弃锂电池。 Lithium cells and batteries listed in this report are not waste lithium cells and batteries, and they will not be shipped for recycling or disposal. c. 本报告所述锂电池按照《危险品规则》3.9.2.6.1(e)规定的质量管理体系进行制造。 Lithium cells and batteries listed in this report were manufactured under the quality management programme as described in DGR 3.9.2.6.1(e).
2	a. 本报告所述锂电池已通过联合国《试验和标准手册》第 III 部分 38.3 小节相应测试要求。(报告编号: MTIU682G7689097U5) Lithium cells and batteries listed in this report are of the types proved to meet the requirements of each applicable test in the UN Manual of Tests and Criteria, Part III, sub-section 38.3. (Report No.: MTIU682G7689097U5) b. 电池或电池组的制造商和代理商已提供联合国《试验和标准手册》第三部分第 38.3 小节第 38.3.5 段规定的测试概要。见(报告编号: MTIU682G7689107U4) Manufacturers and subsequent distributors of cells or batteries have provided the test summary as specified in the UN Manual of Tests and Criteria, Part III, sub-section 38.3, paragraph 38.3.5. see (Report No.: MTIU682G7689107U4) c. 包装件能够承受 1.2 米跌落试验。(报告编号: MTISCLVG8016717U6) The package has passed the 1.2m drop test. (Report No.: MTISCLVG8016717U6) d. 包装件能够承受 3 米堆码试验。(报告编号: MTISCLVG8016727U9) The package has passed the 3m stacking test. (Report No.: MTISCLVG8016727U9)


运输危险性鉴定书
Hazard Classification and Identification Report for Transport of Goods

序号 No.	检验结果及其他事项 Inspection results and other things
3	a. 电池芯和电池必须包装在完全封闭的内包装中, 然后放入符合 5.0.2.4, 5.0.2.6.1 和 5.0.2.12.1 的坚固的刚性外包装中。 Cells and batteries must be packed in inner packagings that completely enclose the cell or battery and placed in a strong rigid outer packaging which conform to the provisions of 5.0.2.4, 5.0.2.6.1 and 5.0.2.12.1. b. 电池芯和电池禁止与第 1 类 (除 1.4S)、2.1 项、第 3 类、4.1 项或 5.1 项危险品放入同一外包装。 Cells and batteries must not be packed in the same outer packaging with goods classified in Class 1 other than Division 1.4S, Division 2.1, Class 3, Division 4.1 or Division 5.1. c. 电池芯和电池包装件禁止与第 1 类 (除 1.4S)、2.1 项、第 3 类、4.1 项或 5.1 项危险品放入同一集合包装。 Packages containing cells or batteries must not be placed in an overpack with packages containing dangerous goods classified in Class 1 other than Division 1.4S, Division 2.1, Class 3, Division 4.1 or Division 5.1.
4	a. 电池具有适当的防短路措施。这包括在同一包装件内防止与导电材料接触而导致短路。 Cells and batteries are properly protected to prevent short circuits. This includes protection against contact with electrically conductive materials within the same packaging that could lead to a short circuit.
5	a. 按本规则 IB 部分托运的电池必须根据第 8 部分规定在托运人申报单中描述;并且当使用航空货运单时,货运单必须包含 8.2.1 和 8.2.2 中相关适用要求。 Cells or batteries shipped under the provisions of Section IB must be described on a Shipper's Declaration as set out in Section 8 and the air waybill, when used, must contain the applicable information required by 8.2.1 and 8.2.2.
6	a. 每个包装件除应贴有第 9 类锂电池或钠离子电池危险性标签 (图 7.3.X) 和仅限货机标签 (图 7.4.B) 外, 还必须按 DGR 7.1.5.5 要求耐久和清晰地电池标记 (图 7.1.C)。每个包装件必须依据 7.1.4.1(a)和 (b) 的要求标记, 此外当需要时, 根据 7.1.4.1(c)的要求将净重标注在包装件上。 Each package must be durably and legibly marked with the battery mark (Figure 7.1.C) as required by DGR 7.1.5.5 in addition to the Class 9- Lithium Batteries or Sodium Ion Batteries hazard label (Figure 7.3.X) and the cargo aircraft only label (Figure 7.4.B). Each package must be marked in accordance with the requirements of 7.1.4.1(a). and (b) and in addition the net weight when required by 7.1.4.1 (c) must be marked on the package.
7	a. 电池指南文件可在以下链接获得- https://www.iata.org/lithiumbatteries。 Battery guidance document is available at the following link - https://www.iata.org/lithiumbatteries

样品图片 (Photo of the Sample):

电池 Battery

样品编号 / Sample No.: G8016737U1



包装件 Package



注: CR2016 有多种标签, 仅标签不同, 其他均相同

Note: CR2016 have a variety of labels, just difference in label, others are the same.

仅对原报告照片中的样品负责

Authenticate the photo on original report only

***报告结束 End of report ***